

FIRE SAFETY CERTIFICATE

No.

Dated:

Certified that the NEW ERA PUBLIC SCHOOL (name of the building or premises) at DURGAPUR NO. 02 DINESHPUR U.S.N (address) comprised of 02 basement(s) and 02 (upper floors) owned/occupied by NEW ERA PUBLIC SCHOOL DURGAPUR NO. 02 DINESHPUR (name of the Institution) have complied with the fire prevention and fire safety requirements in accordance with rule of State/UT Fire Service Rules, and verified by the officers concerned of Fire Service on 15/03/2023 (date of inspection) in the presence of MR. RAVINDRA PAL SINGH (name and addresses of the Manager/Secretary or his representative) and that the building/premises is fit for occupancy class EDUCATIONAL INSTITUTION with effect from 16/03/2022 for a period of 15/03/2026 years in accordance with rule and subject to compliance of the conditions.

Issued on 16/03/2022 at 10:00 by

* Strike out whichever is not applicable.

Signature with Seal:

Name

Designation

31.05.2023
प्रभारी आगशमन अधिकारी
द्वारा, जयमहिम्न नगर I
: MR. DAYA KISHAN
: FIRE STATION SECOND
OFFICER

To

NEW ERA PUBLIC SCHOOL
DURGAPUR NO. 02 DINESHPUR

(Name & Address of the Institution)

ENDORSEMENT

The No Objection Certificate issued by Fire Service stand cancelled and annulled due to
..... (reasons to be recorded).

(Name and designation of the authorized signatory)

Principal
PRINCIPAL
NEW ERA PUBLIC SCHOOL
Dineshpur (U.S.Nagar) U.K.

कार्यालय मुख्य अग्निशमन अधिकारी जनपद उधम सिंह नगर।

ईमेल—cfoudn.ukfs@gmail.com,

पत्रांक: क्रमांक-227/न-3/एफ0एस0/ऑनलाईन/2023

दिनांक मार्च 16, 2023।

स्वामी/प्रबन्धक

मै0 न्यू एरा पब्लिक स्कूल

दुर्गापुर नं0-02 दिनेशपुर, उधमसिंहनगर।

विषय :- अग्निशमन सुरक्षा सम्बन्धी अनापत्ति प्रमाण पत्र के नवीनीकरण के सम्बन्ध में।

आपके प्रार्थनापत्र यूआईडी नं0-68097128 दिनांक 14-03-2023 के अनुसार मै0 न्यू एरा पब्लिक स्कूल दुर्गापुर नं0-02 दिनेशपुर, उधम सिंह नगर की अग्निशमन सुरक्षा व्यवस्था का निरीक्षण प्रभारी अग्निशमन अधिकारी रुद्रपुर द्वारा किया गया। प्रभारी अग्निशमन अधिकारी रुद्रपुर की निरीक्षण आख्या के अनुसार स्थापित अग्निशमन यन्त्र कार्यशील दशा में हैं। उपकरणों का निर्धारित परीक्षण शुल्क राजकोष में जमा करा दिया गया है।

निर्देशित किया जाता है कि अग्निशमन उपकरणों को सदैव कार्यशील दशा में रखेंगे। संस्थान के विस्तार/अतिरिक्त किसी भी प्रकार का कोई परिवर्तन किया जाता है, तो अग्निशमन सुरक्षा प्रमाण पत्र नये सिरे से लिया जाना अनिवार्य है, साथ ही अग्नि सुरक्षा अनापत्ति प्रमाण पत्र प्राप्त करने के उपरान्त संस्थान को प्रत्येक 06 माह में भवन अथवा परिसर में अग्निशमन सुरक्षा व्यवस्था एवं उपकरणों की स्थिति संतोषजनक एवं कार्यशील होने का स्व-घोषणा पत्र/Self Audit Report इस कार्यालय को ऑनलाईन/ऑफलाईन माध्यम से प्रस्तुत करना अनिवार्य होगा।



अतः मै0 न्यू एरा पब्लिक स्कूल दुर्गापुर नं0-02 दिनेशपुर, उधम सिंह नगर को अग्निशमन सुरक्षा संबंधी अनापत्ति प्रमाण पत्र 03 वर्ष हेतु दिनांक 16 मार्च 2023 से 15 मार्च 2026 तक इस आधार पर प्रदान किया जाता है कि निम्न शर्तों का पालन किया जाना आवश्यक होगा:-

- 1 सभी बाहर निकलने या बचाव के रास्ते, सैटबैक तथा सीढ़ियां प्रत्येक दशा में अवरोध मुक्त रखी जाय।
- 2 आपके संस्थान के सभी कर्मचारियों को उपलब्ध अग्निशमन यन्त्रों का तथा सुरक्षित निष्क्रमण प्रक्रिया (Evacuation) का ज्ञान होना आवश्यक है।
- 3 सभी अग्निशमन यन्त्रों को कार्यशील दशा में रखने की जिम्मेदारी प्रबन्धन की होगी। अतिरिक्त अग्निशमन यन्त्रों की स्थापना का अर्थ यह नहीं लगाया जाय कि अग्निकाण्ड की घटना नहीं हो सकती। अतः प्रबन्धन को अग्निरोधक उपाय सदैव करते रहना चाहिए।
- 4 भवन/संस्थान में विद्युत यन्त्रों की स्थापना, वैंटीलेशन, स्ट्रक्चर, स्टेबिलिटी, सैट बैक एरिया व निर्माण, Land Use Change में बदलाव आदि का सत्यापन संबंधित अधिकारी से कराया जाय।
- 5 संस्थान के विस्तार/अतिरिक्त निर्माण करने से पूर्व इस कार्यालय से मानचित्र अनुमोदित करवाकर मानक के अनुसार अतिरिक्त अग्निशमन व्यवस्था की जानी आवश्यक होगी।
- 6 विद्युत स्विच बोर्ड/विद्युत पैनल के आस-पास किसी भी प्रकार की ज्वलनशील सामग्री का भण्डारण नहीं किया जाएगा, भण्डारण किये जाने पर यह प्रबन्धन की लापरवाही मानी जाएगी तथा भविष्य में अग्निदुर्घटना घटित होने पर बीमा दावे हेतु संस्तुति नहीं की जाएगी।
- 7 संस्थान में कम्प्यूटर एवं अन्य लैब संचालित होने पर कम्प्यूटर लैब में एक अदद-सीओडू एक्सटिंग्यूशर क्षमता 9.5 किग्रा0, अन्य लैब में एक अदद एबीसी फायर एक्सटिंग्यूशर क्षमता 10 किग्रा0 मय 04 अदद सैण्ड बकेट तथा जनरेटर के पास एक अदद एबीसी फायर एक्सटिंग्यूशर क्षमता 10 किग्रा मय 04 अदद सैण्ड बकेट के स्थापित किया जाना अनिवार्य होगा।

वसुधा बहादुर
मुख्य अग्निशमन अधिकारी
उधम सिंह नगर


PRINCIPAL
NEW ERA PUBLIC SCHOOL
Dineshpur (U.S.Nagar) U.K.

SELF - CERTIFICATION PROFORMA

Category of application :- Extension of Affiliation	
I (i) 00 (Principal) of the school NEW ERA PUBLIC SCHOOL certify that :	
1	The following uploaded documents are genuine and valid
*	No Objection Certificate No.: - 924/XXIB-3/13/01(16)/ 213
*	NOC Issuing Authority : Director of School Education:- Director Uttarakhand Govt.
*	Trust/Society/Company Registration No.: - UK0670352023011063
*	Trust/Society/Company Registration Issuing Authority :- Sub Registrar
*	Trust/Society/Company Registration Expiry Date:- 21/12/2026
*	Recognition Certificate No.: - 3530374
*	Recognition Issuing Authority :- CBSE Delhi
*	Recognition Expiry Date:- 31/03/2024
*	Fire Safety Certificate No.: - 227/N-3/FS/ONLINE/2023
*	Fire Safety Certificate Issuing Authority :- Chief Fire Officer
*	Fire Safety Certificate Expiry Date:- 15/03/2026
*	Building Safety Certificate No.: - 901/103
*	Building Safety Certificate Issuing Authority : Executive Engineer
*	Building Safety Certificate Expiry Date:-20/03/2025
*	Land Certificate No:- 201
*	Land Certificate Issuing Authority: Tehsildhar
*	Land Certificate is in name of School/Society/Trust/Company duly signed by authorized signatory
2.	That mandatory disclosure has been displayed on the school's website and it's link has been filled in the Part A of the application
3.	That as per norms sufficient numbers of room/s and well equipped Laboratories for Physics, Chemistry and Biology are for available for senior secondary classes.
4.	That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
5.	Submission of wrong system Generated DEO Certificate / Self-undertaking Certificate or deliberate misrepresentation or fraud may result in summarily rejection of Application.
6.	Submission of fraudulent/deliberate misrepresentation/fraud undertaking with intent to obtain affiliation through wrongful means may also lead to penal action against Principal, Manager and authorized signatory of Society.
Name and Signature(s) :	
<div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  PRINCIPAL NEW ERA PUBLIC SCHOOL Dineshpur (U.S.Nagar) U.K. Principal New Era Public School </div> <div style="text-align: center;">  SECRETARY NEW ERA PUBLIC SCHOOL Dineshpur (U.S.Nagar) U.K. Secretary New Era Public School </div> </div>	



District Level Water Quality Testing and Monitoring Laboratory
Uttarakhand Jal Sansthan, Rudrapur U.S.Nagar

E-mail: ceudmujs@gmail.com

Test Report ID: 63/UJS/USNWQTML/2023-24

WATER QUALITY TEST REPORT

Name and Address of Organization/ Customer	New Era Public SCHOOL Durgapur no.-2,Dineshpur U.S.Nagar ,Uttarakhand		
Type of Source	Sample Description: Drinking Water	One water Sample Collected From RO	
Reference Sample Identification:	DLWQTML/UJS/EPS-01	Date of Start of Analysis: 07.06.2023	
Date of Sample Received: 07.06.2023	Sample Collected by:		Date of End of Analysis : 08.06.2023
		Customer	

S.No.	Water Quality Parameters Under Chemical Scope	Results	Desirable Limit (BIS)	Permissible Limit (BIS)
1	Colour	Less than 5	5	15
2	Odour	Unobjectionable	Unobjectionable	Unobjectionable
3	Taste	Agreeable	Agreeable	Agreeable
4	Total Dissolved Solids (TDS), mg/l max	85	500	2000
5	pH at 25°C	7.57	6.5 to 8.5	No Relaxation
6	Turbidity, NTU ma	0.45	1	5
7	Chloride, Mg/l max	4.9	250	1000
8	Total Alkalinity as CaCO ₃ mg/l max	61	200	600
9	Total Hardness as CaCO ₃ mg/l max	80	200	600
10	Calcium as Ca mg/l max	16	75	200
11	Magnesium as Mg mg/l max	9.72	30	100
Microbiological Test Parameters				
12*	E.Coli MPN /100ml	Absent	Absent	Absent
13*	Total Coliform/100ml	Absent	Absent	Absent

Note: 12* And 13* indicates parameters that are not NABL Accredited.

Remark: Above received water sample conforms to IS: 10500-2012 for drinking purpose with respect to above tests

Bh
Chemist

[Signature]
Technical Manager
District Water Quality Testing
Monitoring Laboratory
Uttarakhand Jal Sansthan, U.S.Nagar


-End of Report-

BUILDING SAFETY CERTIFICATE

No. 901/103


Dated: 21-03-2023

Certified that the existing building NEW ERA PUBLIC SCHOOL (name of the building or premises) at DURGAPUR NO-2 DINESHPUR (address) comprised of GROUND FLOOR, FIRST FLOOR basement(s) and (upper floors) owned/occupied by NEW ERA PUBLIC SCHOOL (name of the Institution) have complied with the Building safety requirements in accordance with National Building code Rules, and verified by the officers concerned of P.W.D. (Name of Department/ Govt.) on 20-03-2023 (date of inspection) in the presence of RAVINDER PAL SINGH, RUPRAN (name and addresses of the Manager/Secretary or his representative) and that the building/premises is fit for occupancy upto classes 12th (XI/ XII) with effect from 21-03-2023 for a period of 02 years in accordance with rule and subject to compliance of the specific conditions as appended.

Signature with Seal : 

Name : लोक निर्माण विभाग रुद्रपुर Lokesh Pagnat
(ऊ०सि०नगर)

Designation : EXECUTIVE ENGINEER


PRINCIPAL
NEW ERA PUBLIC SCHOOL
Dineshpur (U.S.Nagar) U.K.

PROFORMA REGARDING SAFE DRINKING WATER AND SANITARY CONDITION

CERTIFICATE. No. 01

Date : 30/05/2023

It is certified that an inspection team headed by Dr. Pradeep Pandey, Joint Hospital, Dineshpur (Name of Officers with designation) from Nagar Panchayat Dineshpur (Name of Department/Office) Inspected the New Era Public School, Dineshpur (Name & Address of the School) on 30-5-2023 and found that the New Era Public School, Dugapur No. Dineshpur, U.K (Name of school) has safe drinking water facilities for the students and members of staff of the institution and is maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the Central/State/U.T Govt.

The above valid for a period of 2 years.

Signature with Seal : [Signature]

Name : Dr. Pradeep Pandey

Designation : _____

स्वास्थ्य अधिकारी
नगर पंचायत, दिनेशपुर
यू.एस.नगर उत्तराखंड

[Signature]
अधिसासी अधिकारी
नगर पंचायत दिनेशपुर
(ऊधम सिंह नगर)

To

Principal
New Era Public School
Dugapur No. 2, Dineshpur, U.K
(Name & Address of the Institution)

[Signature]
PRINCIPAL
NEW ERA PUBLIC SCHOOL
Dineshpur (U.S.Nagar) U.K.